LENCORE

COMFORT. PRIVACY. PRODUCTIVITY.

INSTALLATION & OPERATIONS MANUAL

Jordna Hub

⚠ important
safety instructions

1) Read these instructions.
2) Keep these instructions.
3) Heed all warnings.
4) Follow all instructions.
5) Do not use this apparatus near water.
6) Clean only with dry cloth.
7) Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
8) Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
9) Only use attachments/accessories specified by the manufacturer.
10) Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

JORDNA HUB INSTALLATION INSTRUCTIONS

The following guide will provide you basic installation instructions for the Jordna Hub

The Jordna Hub is used when installing a Lencore i.Net Sound Masking System and there is no music or paging required on the installation.

THE JORDNA HUB IS USED FOR:

- – Wire management
- – Wire breakout
- – System expansion

The below diagram demonstrates standard connectivity of the G8350 Headend, Jordna Hub and the Operating Platform

Instructions

1. Using a CAT cable connect the G8350 Headend's "TO OP" port to the DATA IN port on the JORDNA Hub.
2. Connect a standard CAT cable from one of the four available DATA OUT ports to the first OP.

JORDNA HUB INSTALLATION INSTRUCTIONS

MOUNTING THE JORDNA HUB:

     Using (4) #6 x ½" flat head screws, securely mount the Jordna Hub to the wall.

Lencore Acoustics LLC.
516-682-9292
info@lencore.com
www.lencore.com